

## PORTÉE D'ACCRÉDITATION

**GROUPE CTT INC. / CTT GROUP INC.**  
**3000, rue Boullé**  
**St. Hyacinthe, QC**  
**J2S 1H9**

Laboratoire accrédité n° 40  
(Est conforme aux exigences de CAN-P-4E (ISO/IEC 17025:2005))

PERSONNE-RESSOURCE : Mme Liette Courchesne  
TÉL : (450) 778-1870  
TÉLÉC. : (450) 778-3901  
COURRIEL : [lcourchesne@gcttg.com](mailto:lcourchesne@gcttg.com)

CLIENTÈLE : Service offerts à tous les clients

DOMAINE(S) DES ESSAIS : Chimique et Physique, Mécanique et Physique, Thermique  
et Résistance au Feu

ÉMIS CE : 2009-05-05

VALABLE JUSQU'AU : 2013-08-13

**Note:** This scope of accreditation is also available in English as a separately issued document.

**Remarque:** La présente portée d'accréditation existe également en anglais, sous la forme d'un document distinct.

### **ANIMAUX ET PLANTES (AGRICULTURE)**

#### **Sols :**

ASTM D3080 Standard Test Method for Direct Shear Test of Soils Under  
Consolidated Drained Conditions

## **CONSTRUCTION**

### **(Autres produits géosynthétiques)**

ASTM D5887	Standard Test Method for Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter
ASTM D5890	Standard Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners
ASTM D5891	Standard Test Method for Fluid Loss of Clay Component of Geosynthetic Clay Liners
ASTM D5993	Standard Test Method for Measuring Mass per Unit of Geosynthetic Clay Liners
ASTM D6243	Standard Test Method for Determining the Internal and Interface Shear Resistance of Geosynthetic Clay Liner by the Direct Shear Method
ASTM D6496	Standard Test Method for Determining Average Bonding Peel Strength Between the Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners
ASTM D6637	Standard Test Method for Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method
ASTM D6766	Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with potentially Incompatible Liquids
ASTM D6768	Standard Test Method for Tensile Strength of Geosynthetic Clay Liners
ASTM D7005	Test Method for Determining the Bond Strength (Ply Adhesion) of Geocomposites
ASTM D7056	Standard Test Method for Determining the Tensile Shear Strength of Pre Fabricated Bituminous Geomembrane Seams
BNQ 3624-110	Tuyaux annelés semi-rigides et raccords en thermoplastique, de diamètre égal ou supérieur à 300mm, pour l'évacuation des eaux de surface et l'égout pluvial
BNQ 3624-115	Tuyaux et raccords en polyéthylène (PE) –Tuyaux annelés flexibles pour le drainage – Caractéristiques et méthodes d'essais
BNQ 3624-120	Tuyaux annelés à intérieur lisse et raccords en plastique PE ou PP pour l'évacuation des eaux pluviales
GRI GG1	Geogrid Rib Tensile Strength
GRI GG2	Geogrid Junction Strength

### **(Géomembranes)**

ASTM D1203	Test Method for Volatile Loss from Plastic Film Using activated Carbon
ASTM D1593	Specification for Nonrigid Vinyl Chloride Plastic Sheeting (thickness)
ASTM D3039	

	Standard Test Method for Tensile Properties of Polymer Matrix Composite Materials
ASTM D4218	Standard Test Method for Determination of Carbon Black Content in Polyethylene Compounds By the Muffle–Furnace Technique
ASTM D4437	Standard Practice for Determining the Integrity of Field Seams Used in Joining Flexible Polymeric Sheet Geomembranes
ASTM D4545	Standard Practice for Determining the Integrity of Factory Seams Used in Joining Manufactured Flexible Sheet Geomembranes
ASTM D5321	Standard Test Method for Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method
ASTM D5322	Standard Practice for Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids
ASTM D5397	Standard Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test
ASTM D5514	Standard Test Method for Large Scale Hydrostatic Puncture Testing of Geosynthetics
ASTM D5596	Standard Test Method for Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics
ASTM D5721	Standard Practice for Air–Oven Aging of Polyolefin Geomembranes
ASTM D5747	Standard Practice for Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids
ASTM D5884	Standard Test Method for Determining Tearing Strength of Internally Reinforced Geomembranes
ASTM D5885	Standard Test Method for Oxidative Induction Time of Polyolefin Geosynthetics by High–Pressure Differential Scanning Calorimetry
ASTM D5994	Standard Practice for Measuring Core Thickness of Textured Geomembrane
ASTM D6392	Standard Test Method for Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo–Fusion Methods
ASTM D6693	Standard Test Method for Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes
ASTM D7003	Test Method for Strip Tensile Properties of Reinforced Geomembranes
ASTM D7004	Test Method for Grab Tensile Properties of Reinforced Geomembranes
ASTM D7275	Standard Test Method for Tensile Properties of Bituminous Geomembranes (BGM)
EN 14575	Geosynthetic barriers – Screening test method for determining the resistance to oxidation
EN ISO 13438	

	Geotextiles and geotextile-related products – Screening test method for determining the resistance to oxidation
GRI GM11	Accelerated Weathering of Geomembranes Using a Fluorescent UVA Device
GRI GM12	Asperity Measurement of Textured Geomembranes Using a Depth Gage
ISO 1133	Melt Flow Index
ISO 1183	Density
ISO 13438	Geotextiles and geotextile-related products – Screening test method for determining the resistance to oxidation
NF P84-501	Géomembranes – Dispositif d'étanchéité par géomembranes (DEG) – Détermination des caractéristiques en traction
NF P84-502-1	Géomembranes – Essais sur joints – Partie 1 : détermination des caractéristiques en traction-cisaillement
NF P84-502-2	Géomembranes – Essais sur joints – Partie 2 : détermination de la résistance en traction-pelage
NF P84-505	Géomembranes – Mesure de l'angle de frottement "géomembrane-sable normal" à la boîte de cisaillement
NF P84-507	Essais des géomembranes – Détermination de la résistance au poinçonnement statique des géomembranes et des dispositifs d'étanchéité par géomembranes – Cas du poinçon cylindrique sans support
NF P84-514	Géomembranes – Détermination de la masse surfacique
PGI 1104	PVC Geomembrane Specifications

**(Géotextiles)**

ASTM D4355	Standard Test Method for Deterioration of Geotextiles from Exposure to Ultraviolet Light and Water (Xenon-Arc Type Apparatus)
ASTM D4491	Standard Test Method for Water Permeability of Geotextiles by Permittivity
ASTM D4533	Standard Test Method for Trapezoid Tearing Strength of Geotextiles
ASTM D4595	Standard Test Method for Tensile Properties of Geotextiles by the Wide-Width Strip Method
ASTM D4632	Standard Test Method for Grab Breaking Load and Elongation of Geotextiles
ASTM D4716	Test Method for Determining the (In-plane) Floe Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head
ASTM D4751	Standard Test Method for Determining Apparent Opening Size of a Geotextile
ASTM D4833	Standard Test Method for Index Puncture Resistance of Geotextiles, Geomembranes and Related Products
ASTM D4884	Standard Test Method for Strength of Sewn or Thermally Bonded Seams of Geotextiles
ASTM D4885	

	Standard Test Method for Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method
ASTM D5101	Standard Test Method for Measuring the Soil–Geotextile System Clogging Potential by the Gradient Ratio
ASTM D5199	Standard Test Method for Measuring the Nominal Thickness of Geosynthetics
ASTM D5261	Standard Test Method for Measuring Mass per Unit Area of Geotextiles
ASTM D5493	Standard Test Method for Permittivity of Geotextiles Under Load
ASTM D6140	Standard Test Method to Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full–Width Applications
ASTM D6241	Standard Test Method for the Static Puncture Strength of Geotextiles and Geotextile–Related Products Using a 50–mm Probe
ASTM D6364	Standard Test Method for Determining the Short–Term Compression Behavior of Geosynthetics
ASTM D6574	Test Method for Determining the (In–Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow
ASTM D6707	Standard Specification for Circular–Knit Geotextile for Use in Subsurface Drainage Applications
CAN/CGSB 148.1–10	Géotextiles – Détermination du diamètre d'ouverture de filtration
CAN/CGSB 148.1–14	Rigidité des géotextiles
CAN/CGSB 148.1–2	Masse surfacique (géotextiles et géomembranes)
CAN/CGSB 148.1–3	Épaisseur des géotextiles
CAN/CGSB 148.1–4	Géotextiles – Perméabilité à l'eau des géotextiles dans un sens normal sans charge de compression
CAN/CGSB 148.1–7.3	Essai de résistance à rupture des géotextiles – Essai d'arrachement
CAN/CGSB 4.2–26.3–95/ISO 811 :1981	Étoffes – Détermination de la résistance à la pénétration de l'eau – Essai sous pression Hydrostatique
EN 12447	Géotextiles et produits apparentés –Méthode d'essai sélective pour la détermination de la résistance à l'hydrolyse dans l'eau
EN 13562	Géotextiles et produits apparentés – Détermination de la résistance à la pénétration d'eau (essai sous pression hydrostatique)
EN 14030	Géotextiles et produits apparentés – Méthode d'essai sélective pour la détermination de la résistance aux liquides acides et alcalins
EN ISO 13433	Géosynthétiques – Essai de perforation dynamique (essai par chute d'un cône)
FTMS 101C–2065	Puncture Resistance (1/8 inch radius probe method)
ISO 10319	Géotextiles – Essai de traction des bandes larges (voir aussi NF EN ISO 10319)
ISO 10321	Géotextiles – Essai de traction pour joints/coutures par la

	méthode de la bande large (voir aussi NF EN ISO 10321)
ISO 11058	Geotextiles and geotextile-related products — Determination of water permeability characteristics normal to the plane, without load
ISO 12236	Géotextiles et produit apparentés – Essai de poinçonnement statique (essai CBR) (voir aussi NF EN ISO 12236)
ISO 12956	Géotextiles et produit apparentés – Détermination de l'ouverture de filtration caractéristique (voir aussi NF EN ISO 12956)
ISO 12958	Geotextiles and geotextile-related products — Determination of water flow capacity in their plane
ISO 13433	Géosynthétiques – Essai de perforation dynamique (essai par chute d'un cône)
ISO 9863	Geotextiles — Determination of thickness at specified pressures
ISO 9864	Geotextiles — Determination of mass per unit area
NF EN 918	Géotextiles et produits apparentés – Essai de perforation dynamique (essai par chute d'un cône)
NF EN 964–1	Géotextiles et produits apparentés – Détermination de l'épaisseur à des pressions prescrites – Partie 1 : couches individuelles
NF EN 965	Géotextiles et produits apparentés – Détermination de la masse surfacique
NF EN ISO 9863–2	Geotextiles and geotextile-related products — Determination of thickness at specified pressures — Part 2: Procedure for determination of thickness of single layers of multilayer products
NF G38–016 Disc.	Textiles – Articles à usages industriels – Essais des géotextiles – Mesure de la permittivité hydraulique
NF G38–017 Disc.	Textiles – Articles à usages industriels – Essais des géotextiles – Porométrie : détermination de l'ouverture de filtration
NF G38–018 Disc.	Textiles – Articles à usages industriels – Essais des géotextiles – mesure de la transmissivité hydraulique
NF G38–019	Textiles – Articles à usages industriels – Essais des géotextiles – Détermination de la résistance au poinçonnement

**Autres :**

***(Géosynthétiques)***

Voir aussi les essais énumérés dans la section "ÉLASTOMÈRES, PROTECTEURS ET AUTRES ENROBAGES", sous-section "Plastiques, résines et caoutchouc" et la section "TEXTILE ET PRODUITS FIBREUX"

**Matériaux de construction (à l'exclusion des produits textiles) :**

## **Couvre-planchers (voir aussi sections Textiles et Produits Fibreux, Minerais Métalliques et Produits, Élastomères et Produits de Bois)**

ASTM C1378	Standard Test Method for Determination of Resistance to Staining
ASTM C501	Standard Test Method for Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser
ASTM C97	Standard Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone (la partie «test d'absorption d'eau» seulement)
ASTM D5848	Standard Test Method for Mass Per Unit Area of Pile Yarn Floor Coverings
ASTM D903	Standard Test Method for Peel or Stripping Strength of Adhesive Bonds
ASTM E661	Standard Test Method for Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads – Section: Strength of Single-Layer Floor Sheathing
ASTM F1303	Standard Specification for Sheet Vinyl Floor Covering with Backing
ASTM F1304	Standard Test Method for Deflection of Resilient Floor Tile
ASTM F137	Standard Test Method for Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus
ASTM F150	Standard Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring
ASTM F1514	Standard Test Method for Measuring Heat Stability of Resilient Vinyl Flooring by Color Change
ASTM F1515	Standard Test Method for Measuring Light Stability of Resilient Vinyl Flooring by Color Change
ASTM F1860	Standard Specification for Rubber Sheet Floor Covering With Backing
ASTM F1913	Standard Specification for Vinyl Sheet Floor Covering Without Backing
ASTM F2034	Standard Specification for Sheet Linoleum Floor Covering
ASTM F2199	Standard Test Method for Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat
ASTM F373	Standard Test Method for Embossed Depth of Resilient Floor Coverings
ASTM F410	Standard Test Method for Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement
ASTM F924	Standard Test Method for Resistance to Puncture of Cushioned Resilient Floor Coverings
ASTM F925	Standard Test Method for Resistance to Chemicals of Resilient Flooring
ASTM F970	Standard Test Method for Static Load Limit

## **Matériaux d'isolation**

ASTM D3574	Standard Test Methods for Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams (la partie «test B» et «test E» seulement)
CAN/CGSB–51.33	Vapour Barrier Sheet, excluding Polyethylene, for Use in Building Construction
CAN/CGSB–51.34	Pare-vapeur en feuille de polyéthène pour bâtiments

### **Pare-vapeurs, membranes imperméabilisantes**

ASTM C794	Standard Test Method for Adhesion–in–Peel of Elastomeric Joint Sealants
ASTM C836	Standard Specification for High Solids Content, Cold Liquid–Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course
ASTM D1709	Standard Test Methods for Impact Resistance of Plastic Film by the Free–Falling Dart Method
ASTM D1970	Standard Specification for Self–Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection
ASTM D2939	Standard Test Methods for Emulsified Bitumens Used as Protective Coatings, (Section: Resistance to water)
ASTM D4073	Test Method for Tensile–Tear Strength of Bituminous Roofing Membranes
ASTM D4226	Standard Test Methods for Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products
ASTM D4521	Coefficient of Static Friction of Corrugated and Solid Fiberboard
ASTM D5323	Practice for Testing Load–Strain Properties of Roofing Membranes
ASTM D5385	Standard Test Method for Hydrostatic Pressure Resistance of Waterproofing Membranes
ASTM D573	Standard Test Method for Rubber Deterioration in an Air Oven
ASTM D903	Test Method for Peel or Stripping Strength of Adhesive Bonds
ICC–ES AC243	Acceptance Criteria For Composite Foundation Drainage Systems
ICC–ES AC279	Acceptance Criteria for Vinyl–Lined Residential Swimming Pools
ICC–ES AC29	Acceptance Criteria For Cold, Liquid–Applied, Below–Grade, Exterior Dampproofing And Waterproofing Materials
ICC–ES AC38	Acceptance Criteria for Water–Resistive Barriers – Polymeric–Based Barriers
ICC–ES Evaluation Guideline EG 114	Evaluation Guideline for rigid polyethylene, below grade, dampproofing and wall waterproofing material.

### **Revêtements de toitures (voir aussi section Élastomères)**



ASTM D3462	Standard Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules
ASTM D4434	Standard Specification for Poly(Vinyl Chloride) Sheet Roofing
ASTM D4798	Standard Practice for Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon–Arc Method)
ASTM D5147	Standard Test Methods for Sampling and Testing Modified Bituminous Sheet Material
ASTM D5602	Standard Test Method for Static Puncture Resistance of Roofing Membrane Specimens
ASTM D5635	Standard Test Method for Dynamic Puncture Resistance of Roofing Membrane Specimens
ASTM D6162	Standard Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
ASTM D6163	Standard Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements
CAN/CGSB 37.54	Membrane de poly(chlorure de vinyle) pour le revêtement de toitures et l'imperméabilisation à l'eau (Remplace 37–GP–54M)
CAN/CGSB 37.58	Membrane, d'élastomère obtenue par liquide appliqué à froid, pour utilisation protégée dans le revêtement des toitures et l'imperméabilisation
CAN/CGSB 37–GP–52M	Membrane d'élastomère en feuilles pour le revêtement de toitures et l'imperméabilisation à l'eau
CAN/CGSB 37–GP–56M	Membrane, Modified, Bituminous, Prefabricated, and Reinforced for Roofing
CAN2–51.32	Sheathing Membrane, Breather Type
CSA A220.1	Installation of concrete roof tiles, (Section: Underlayment Materials)
EN 12311–1	Flexible sheets for waterproofing – Part 1: Bitumen sheets for roof waterproofing – Determination of tensile properties
ICC–ES AC148	Acceptance Criteria For Flexible Flashing Materials
ICC–ES AC188	Acceptance Criteria For Roof Underlayments
ICC–ES AC207	Acceptance Criteria For Polypropylene Roof Underlayments
ICC–ES AC39	Acceptance Criteria For Walking Decks
ICC–ES AC48	Acceptance Criteria For Roof Underlayment for Use in Severe Climate Areas

## **ÉLASTOMÈRES, PROTECTEURS ET AUTRES ENROBAGES**

### **Plastiques, résines et caoutchouc :**

#### **Plastiques**

ASTM D1004	Standard Test Method for Initial Tear Resistance of Plastic Film and Sheeting
ASTM D1042	Standard Test Method for Linear Dimensional Changes of Plastics Under Accelerated Service Conditions
ASTM D1204	Standard Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature
ASTM D1238	Standard Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer
ASTM D1239	Standard Test Method for Resistance of Plastic Films to Extraction by Chemicals
ASTM D1621	Standard Test Method for Compressive Properties Of Rigid Cellular Plastics
ASTM D1693	Standard Test Method for Environmental Stress–Cracking of Ethylene Plastics
ASTM D1784	Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds
ASTM D1894	Standard Test Method for Static and Kinetic Coefficients of Friction of Film and Sheeting
ASTM D1922	Standard Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method
ASTM D1938	Standard Test Method for Tear–Propagation Resistance of Plastic Film and Thin Sheeting by a Single–Tear Method
ASTM D2344	Standard Test Method for Short–Beam Strength of Polymer Matrix Composite Materials and Their Laminates
ASTM D2457	Standard Test Method for Specular Gloss of Plastic Films and Solid Plastics
ASTM D256	Standard Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics
ASTM D2565	Standard Practice for Xenon–Arc Exposure of Plastics Intended for Outdoor Applications
ASTM D2732	Standard Test Method for Unrestrained Linear Thermal Shrinkage of Plastic Film and Sheeting
ASTM D3045	Standard Practice for Heat Aging of Plastics Without Load
ASTM D3083	Specification for Flexible Poly (Vinyl Chloride) Plastic Sheeting for Pond, Canal and Reservoir Lining Seulement pour : Articles 9.1–9.3, 9.6, 9.7, 9.10
ASTM D3350	Standard Specification for Polyethylene Plastics Pipe and Fittings Materials
ASTM D3846	Standard Test Method for In–Plane Shear Strength of Reinforced Plastics
ASTM D4329	Standard Practice for Fluorescent UV Exposure of Plastics
ASTM D4459	Standard Practice for Xenon–Arc Exposure of Plastics Intended for Indoor Applications
ASTM D5208	Standard Practice for Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics

ASTM D543	Standard Practices for Evaluating the Resistance of Plastics to Chemical Reagents
ASTM D5630	Standard Test Method for Ash Content in Plastics
ASTM D570	Standard Test Method for Water Absorption of Plastics
ASTM D5857	Standard Specification for Polypropylene Injection and Extrusion Materials Using ISO Protocol and Methodology
ASTM D635	Standard Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position
ASTM D638	Standard Test Method for Tensile Properties of Plastics
ASTM D695	Standard Test Method for Compressive Properties of Rigid Plastics
ASTM D6988	Standard Guide for Determination of Thickness of Plastic Film Test Specimens
ASTM D751	Standard Test Methods for Coated Fabrics (Dimensions and Mass, Breaking, Bursting, Puncture, Tearing, Trapezoidal, Hydrostatic Resis. (A), Adhesion, Strength of coating, Low Temp. Bend test, Seam Strength, Acc. Heat Aging) Seulement pour :
ASTM D790	Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials
ASTM D792	Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement
ASTM D828	Tensile Properties of Paper and Paperboard Using Constant-Rate-of-Elongation Apparatus
ASTM D882	Standard Test Method for Tensile Properties of Thin Plastic Sheeting
ASTM E1356	Standard Test Method for Assignment of the Glass Transition Temperatures by Differential Scanning Calorimetry or Differential Thermal Analysis
ASTM F904	Standard Test Method for Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials
ISO 1923	Cellular plastics and rubbers – Determination of linear dimension
ISO 527–1	Plastics – Determination of tensile properties -- Part 1: General principles
ISO 527–2	Plastics – Determination of tensile properties -- Part 2: Test conditions for moulding and extrusion plastics
ISO 527–3	Plastics – Determination of tensile properties – Part 3: Test conditions for films and sheets
UL 94	Tests for Flammability of Plastic Materials for Parts in Devices and Appliances – Horizontal Burning Test; HB
VOLVO STD 1024,2511	Determination of flexural properties
VOLVO STD 1026,1121	Test Method, Dimensional changes, Plastics

## Résines et caoutchouc

ASTM D1003	Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics
ASTM D1603	Standard Test Method for Carbon Black In Olefin Plastics
ASTM D2103	Standard Specification for Polyethylene Film and Sheet
ASTM D2124	Standard Test Method for Analysis of Components in Poly(Vinyl Chloride) Compounds Using and Infrared Spectrophotometric Technique
ASTM D2240	Standard Test Method for Rubber Property—Durometer Hardness (Pour duromètre de type A seulement)
ASTM D3417	Standard Test Method for Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry (DSC)
ASTM D3418	Standard Test Method for Transition Temperatures of Polymers by Differential Scanning Calorimetry
ASTM D3677	Standard Test Methods for Rubber—Identification by Infrared Spectrophotometry
ASTM D3895	Standard Test Method for Oxidative Induction Time of Polyolefins by Differential Scanning Calorimetry
ASTM D412	Standard Test Methods for Vulcanized Rubber and Thermoplastic Rubbers and Thermoplastic Elastomers—Tension
ASTM D413	Standard Test Method for Rubber Property—Adhesion to Flexible Substrate (Machine Method, Strip Type A)
ASTM D4549	Standard Specification for Polystyrene and Rubber—Modified Polystyrene Molding and Extrusion Materials (PS)
ASTM D4591	Standard Test Method for Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry
ASTM D5028	Standard Test Method for Curing Properties of Pultrusion Resins by Thermal Analysis
ASTM D575	Standard Test Methods for Rubber Properties in Compression
ASTM D816	Standard Test Methods for Rubber Cements Seulement pour : Articles 1–8, 13, 15
ASTM E1131	Standard Test Method for Compositional Analysis by Thermogravimetry
ASTM E1252	Standard Practice for General Techniques for Obtaining Infrared Spectra for Qualitative Analysis
ASTM E1269	Standard Test Method for Determining Specific Heat Capacity by Differential Scanning Calorimetry
ASTM E154	Standard Test Methods for Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover
ASTM E308	Standard Practice for Computing the Colors of Objects by Using the CIE System
ASTM E537	Standard Test Method for Assessing the Thermal Stability of

	Chemicals by Methods of Thermal Analysis
ASTM E793	Standard Test Method for Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry
ASTM E794	Standard Test Method for Melting and Crystallization Temperatures by Thermal Analysis
ASTM F1306	Standard Test Method for Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates
ASTM F2136	Standard Test Method for Notched, Constant Ligament–Stress (NCLS) Test to Determine Slow–Crack–Growth Resistance of HDPE Resins or HDPE Corrugated Pipe
ISO 188	Rubber, vulcanized or thermoplastic – Accelerated ageing and heat resistance tests
ISO 37	Rubber, vulcanized or thermoplastic – Determination of tensile stress–strain properties
ISO 4648	Rubber, vulcanized or thermoplastic – Determination of dimensions of test pieces and products for test purposes

## **ENVIRONNEMENT ET SANTÉ ET SÉCURITÉ AU TRAVAIL**

### **Autres :**

*(Altération solaire ou atmosphérique)*

ASTM D1499	Standard Practice for Filtered Open–Flame Carbon–Arc Exposures of Plastics
ASTM D7238	Standard Test Method for Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus
ASTM G153	Standard Practice for Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials
ASTM G154	Standard Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials
ASTM G155	Standard Practice for Operating Xenon–Arc Light Apparatus for Exposure of Non–Metallic Materials
ASTM G23	Practice for Operating Light–Exposure Apparatus (Carbon–Arc Type) With and Without Water for Exposure of Nonmetallic Materials
ASTM G53	Standard Practice for Operating Light– and Water–Exposure Apparatus (Fluorescent UV–Condensation Type) for Exposure of Nonmetallic Materials (Discontinué en 2000, replace par G154)

### **Santé et sécurité au travail :**

#### **Protection contre les incendies**

Voir les essais énumérés dans la section "TEXTILE ET PRODUITS FIBREUX"

## **MINÉRAIS NON MÉTALLIQUES ET PRODUITS**

### **Céramiques, argiles et produits d'argile :**

#### **Céramiques**

ASTM C1028	Standard Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull–Meter Method
ASTM C627–93	Standard Test Method for Evaluating Ceramic Floor Tile Installation Systems Using the Robinson–Type Floor Tester

## **PRODUITS DE CONSOMMATION ET D'AFFAIRES**

### **Meubles et articles de consommation :**

#### **Produits dangereux**

AOAC Official Method 974.02	“Lead in Paint – Atomic Absorption Spectrophotometric Method” (“Band of Lead–Containing Paint and Certain Consumer Products Bearing Lead–Containing Paint”) (Tel que requis par «16 CFR Part 1303»)
ASTM E1613	“Standard Test Method for Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP–AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques” (Tel que requis par «16 CFR Part 1303»)
ASTM E1645	“Standard Practice for Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis” (Tel que requis par «16 CFR Part 1303»)
Santé Canada – Partie B: C–02	Détermination de la teneur totale en plomb dans les peintures et les revêtements appliqués

## **TEXTILES ET PRODUITS FIBREUX**

### **Autres :**

(feu et inflammabilité)

### **Produits de l'industrie du textile (incluant les fibres synthétiques et naturelles :**

#### **Fibres**

AATCC 20	Fiber Analysis: Qualitative
ASTM D1425	Standard Test Method for Unevenness in Textile Strands Using Capacitance Testing Equipment
ASTM D1448	Standard Test Methods for Micronaire Reading of Cotton Fibers
ASTM D1577	Standard Test Methods for Linear Density of Textile Fibers
ASTM D276	Standard Test Method for Identification of Fibers in Textiles
CAN/CGSB 4.2 No. 48-M91/ISO 137 :1975	Laine – Détermination du diamètre des fibres – Méthode du microscope à projection
CAN/CGSB 4.2 No.14 Serie	Analyse quantitative des mélanges de fibres

## Fils

ASTM D2256	Standard Test Method for Tensile Properties of Yarns by the Single-Strand Method
CAN/CGSB 4.2 No. 5.2	Masse linéique du fil en unites SI
CAN/CGSB 4.2 No. 8.1-M89/ISO 7211/4-1984	Textiles – Tissus – Construction – Méthodes d'analyse – Partie 4: Détermination de la torsion d'un fil prélevé dans un tissu
CAN/CGSB 4.2 No. 8.2-M89/ISO 2061-1972	Textiles – Méthode de détermination de la torsion des fils – Méthode directe
CAN/CGSB 4.2 No. 8.3-M89/ISO 2-1973	Textiles – Indication du sens de torsion des fils et produits associés
CAN/CGSB 4.2 No. 9.4	Résistance à la rupture des fils – Méthode à fil simple
CAN/CGSB 4.2 No.39	Embuvaage

## Matériaux pour avions

FAR 25.853(a)	Vertical and Horizontal Bunsen Burner Test for Cabin and Cargo Compartment Materials
---------------	--

## Tissus

AATCC 106	Colorfastness to Water: Sea (voir aussi CAN/CGSB 4.2 No.21)
AATCC 107	Colorfastness to Water (voir aussi CAN/CGSB 4.2 No.20)
AATCC 112	Formaldehyde Release from Fabric, Determination of: Sealed Jar Method
AATCC 117	Colorfastness to Heat: Dry (excluant: Pressing)
AATCC 118	Oil Repellency: Hydrocarbon Resistance Test
AATCC 127	Water Resistance: Hydrostatic Pressure Test
AATCC 128	Wrinkle recovery of fabrics: appearance method
AATCC 132	Colorfastness to Drycleaning (voir aussi CAN/CGSB 4.2 No. 29.1)

AATCC 133	Colorfastness to Heat: Hot Pressing
AATCC 135	Dimensional Changes in Automatic Home Laundering of Woven or Knit Fabrics
AATCC 15	Colorfastness to Perspiration (voir aussi CAN/CGSB 4.2 No. 23)
AATCC 150	Dimensional Changes in Automatic Home Laundering of Garments
AATCC 158	Dimensional Changes on Drycleaning in Perchloroethylene: Machine Method (voir aussi CAN/CGSB 4.2 No. 30)
AATCC 16	Colorfastness to Light
AATCC 162	Colorfastness to Water: Chlorinated Pool
AATCC 163	Colorfastness: Dye Transfer in Storage: Fabric-to-Fabric
AATCC 165	Colorfastness to Crocking: Textile Floor Coverings – AATCC Crockmeter Method
AATCC 169	Weather Resistance of Textiles: Xenon Lamp Exposure
AATCC 179	Skewness Change in Fabric and Garment Twist Resulting from Automatic Home Laundering
AATCC 23	Colorfastness to Burnt Gas Fumes (voir aussi CAN/CGSB 4.2 No. 35.1)
AATCC 26	Ageing of Sulfur-Dyed Textiles: Accelerated
AATCC 42	Water Resistance: Impact Penetration Test
AATCC 61	Colorfastness to Laundering Home and Commercial: Accelerated (voir aussi CAN/CGSB 4.2 No. 19.1)
AATCC 8	Colorfastness to Crocking: AATCC Crockmeter Method (voir aussi CAN/CGSB 4.2 No. 22)
AATCC 81	pH of the Water-Extract from Wet Processed Textiles
AATCC 82	Fluidity of Dispersions of Cellulose from Bleached Cotton Cloth
AATCC 97	Extractable Content of Greige and/or Prepared Textiles
ASTM D1388	Standard Test Methods for Stiffness of Fabrics
ASTM D1683	Test Method for Failure in Sewn Seams of Woven Fabrics(Discontinué en 1999) (voir aussi CAN/CGSB 4.2 No. 32.2)
ASTM D1776	Standard Practice for Conditioning and Testing Textiles
ASTM D1777	Standard Test Method for Thickness of Textile Materials
ASTM D2136	Standard Test Method for Coated Fabrics – Low-Temperature Bend Test
ASTM D2261	Standard Test Method for Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine)
ASTM D3776	Standard Test Methods for Mass Per Unit Area (Weight) of Fabric
ASTM D3786	Standard Test Methods for Hydraulic Bursting Strength of Textile Fabrics-Diaphragm Bursting Strength Tester Method
ASTM D3882	Standard Test Method for Bow and Skewness in Cooven and Knitted Fabrics
ASTM D3884	Standard Guide for Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method)



ASTM D3885	Standard Test Method for Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method)
ASTM D3886	Standard Test Method for Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Method)
ASTM E96	Standard Test Methods for Water Vapor Transmission of Materials
ASTM F1342	Standard Test Method for Protective Clothing Material Resistance to Puncture
BNQ 7002–010	Détermination de la masse par unité de longueur et de la masse par unité de surface
BNQ 7002–052	Détermination de la résistance à la rupture des tissus – Méthode d'essai par arrachement
BNQ 7002–060	Détermination de la résistance à l'éclatement – Méthode à pression par diaphragme
BNQ 7002–200	Détermination de la solidité de la couleur à la lumière – Méthode à l'arc à carbone
BNQ 7002–270	Détermination de la solidité de la couleur au lavage
BNQ 7002–275	Détermination de la solidité de la couleur au nettoyage à sec
BNQ 7002–280	Détermination de la solidité de la couleur au frottement
BNQ 7002–400	Détermination de la stabilité dimensionnelle des textiles tissés et des tricotés au lavage
BNQ 7002–405	Détermination de la stabilité dimensionnelle au nettoyage à sec
BNQ 7002–500	Résistance à l'inflammabilité – Essai de brûlage vertical
BNQ 7002–565	Détermination du comportement des tissus à la chaleur
CAN/CGSB 4.2 No. 11.1	Résistance à l'éclatement – Essai à l'éclatomètre à membrane (voir aussi ASTM D3786)
CAN/CGSB 4.2 No. 11.2	Résistance à l'éclatement – Essai d'éclatement à la bille (voir aussi ASTM D3787)
CAN/CGSB 4.2 No. 12.1	Résistance à la déchirure – Méthode à déchirure simple (voir aussi ASTM D2262)
CAN/CGSB 4.2 No. 12.2	Résistance à la déchirure – Méthode trapézoïdale
CAN/CGSB 4.2 No. 12.3	Résistance à la déchirure – Méthode balistique Elmendorf (voir aussi ASTM D1424)
CAN/CGSB 4.2 No. 15	Matières non fibreuses sur les textiles
CAN/CGSB 4.2 No. 18.1	Solidité de la couleur à la lumière artificielle: Rayonnement d'une lampe à arc au carbone
CAN/CGSB 4.2 No. 18.3–97/ISO 105–B02 :1994	Textiles – Essais de solidité des teintures – Partie B02: Solidité des teintures à la lumière artificielle : Lampe à arc au Xénon
CAN/CGSB 4.2 No. 19.1	Solidité de la couleur au lavage – Essai de vieillissement accéléré – Appareil Launder-Ometer (voir aussi AATCC 61)
CAN/CGSB 4.2 No. 2	Conditionnement des textiles pour fin d'essais
CAN/CGSB 4.2 No. 20	Solidité de la couleur à l'eau (voir aussi AATCC 107)
CAN/CGSB 4.2 No. 21	Solidité de la couleur à l'eau de mer (voir aussi AATCC 106)
CAN/CGSB 4.2 No. 22	Solidité de la couleur au frottement (voir aussi AATCC 8)
CAN/CGSB 4.2 No. 23	Solidité de la couleur à la sueur (voir aussi AATCC 15)
CAN/CGSB 4.2 No. 24	

	Solidité de la couleur et changement dimensionnel au blanchissage commercial (remplace la CAN-4.2 N°24.2)
CAN/CGSB 4.2 No. 24.1	Changement dimensionnel au lavage des tissus – Méthode accélérée
CAN/CGSB 4.2 No. 25.1	Variation dimensionnelle au trempage dans l'eau
CAN/CGSB 4.2 No. 26.2	Étoffes – Détermination de la résistance au mouillage superficiel (Essai d'arrosage) (voir aussi AATCC 22)
CAN/CGSB 4.2 No. 26.3-95/ISO 811 :1981	Étoffes – Détermination de la résistance à la pénétration de l'eau – Essai sous pression hydrostatique
CAN/CGSB 4.2 No. 26.5	Résistance à l'eau – Essai de pénétration à haute pression
CAN/CGSB 4.2 No. 27.1	Résistance à la flamme – Essai de brûlage en surface
CAN/CGSB 4.2 No. 27.10	Résistance à l'inflammation – Textile ou ensemble de textile orientés verticalement
CAN/CGSB 4.2 No. 27.2	Résistance à la flamme – Essai de brûlage en surface
CAN/CGSB 4.2 No. 29.1	Solidité de la couleur au solvant de nettoyage à sec (voir aussi AATCC 132)
CAN/CGSB 4.2 No. 30	Changement dimensionnelle au nettoyage à sec (voir aussi AATCC 158)
CAN/CGSB 4.2 No. 31-M89/ISO 105/X11-1987	Textiles – Essais de solidité des teintures – Partie X11: Solidité des teintures au repassage à chaud
CAN/CGSB 4.2 No. 32.1	Résistance des tissés au glissement de la couture (voir aussi ASTM D434)
CAN/CGSB 4.2 No. 32.2	Résistance à la rupture des coutures des tissés (voir aussi ASTM D1683)
CAN/CGSB 4.2 No. 35.1	Solidité de la couleur aux produits de combustion des gaz (voir aussi AATCC 23)
CAN/CGSB 4.2 No. 36	Perméabilité à l'air (voir aussi ASTM D737)
CAN/CGSB 4.2 No. 37	Épaisseur des tissus
CAN/CGSB 4.2 No. 4.1	Mesurage de la largeur des pièces
CAN/CGSB 4.2 No. 40	Matière extractible au moyen de solvant
CAN/CGSB 4.2 No. 45	Étoffes – Détermination de l'auto-défroissabilité d'un spécimen plié horizontalement par mesurage de l'angle rémanent après pliage
CAN/CGSB 4.2 No. 46-96/ISO 105-A02 :1993	Textiles – Essais de solidité des teintures – Partie A02 : Échelle des gris pour l'évaluation des dégradations
CAN/CGSB 4.2 No. 49	Résistance des textiles à la diffusion de vapeur d'eau
CAN/CGSB 4.2 No. 5.1	Masse des tissus
CAN/CGSB 4.2 No. 51.2	Résistance au boulochage – Appareil d'essai de boulochage (voir aussi ASTM D3512)
CAN/CGSB 4.2 No. 52.2-98/ISO 105-E03 :1994	Textiles – Essais de solidité des teintures – Partie E03: Solidité des teintures à l'eau chlorée (eau de piscine)
CAN/CGSB 4.2 No. 58	Solidité de la couleur et changement dimensionnel des textiles au blanchissage domestique
CAN/CGSB 4.2 No. 69	Résistance aux intempéries – Rayonnement d'une lampe à arc au Xénon
CAN/CGSB 4.2 No. 6-M89/ISO 7211/2 :1984	Textiles – Tissus – Construction – Méthodes d'analyse – Partie 2 Détermination du nombre de fils par unité de longueur

CAN/CGSB 4.2 No. 7	Contexture du tricot – Côtes et courses par centimètre
CAN/CGSB 4.2 No. 74–M91/ISO 3071:1980	Textiles – Détermination du pH de l'extrait aqueux
CAN/CGSB 4.2 No. 9.1	Résistance à la rupture des tissus – Méthode des bandes effilochées – Principe de rupture à temps constant (voir aussi ASTM D5035)
CAN/CGSB 4.2 No. 9.2	Résistance à la rupture des tissus – Méthode d'arrachement – Principe de rupture à temps constant (voir aussi ASTM D5034)
FTMS 191A No 4108	Strength and elongation, breaking; textile webbing, tape and braided items
FTMS 191A No 5504	Water Resistance of coated cloth: Spray Absorption Method
FTMS 191A No 5512	Water resistance of coated cloth: High Range, Hydrostatic Pressure Method
FTMS 191A No 5516	Water resistance of cloth: Water Permeability, Hydrostatic Pressure Method
FTMS 191A No 5671	Colorfastness of Textile Materials to Weather – Accelerated Weathering method
FTMS 191A Section No 4	Textiles Conditioning
UPH–104	Seam Slippage Test
UPH–105	Abrasion Resistance Test

### **Vêtements et autres produits textiles finis :**

#### **(Autres (feu et inflammabilité))**

16 CFR Part 1610	Standard for the flammability of clothing textiles
16 CFR Part 1615	Standard for the flammability of children's sleepwear: Sizes 0 through 6X (FF–3–71)
16 CFR Part 1616	Standard for the flammability of children's sleepwear: Sizes 7 through 14 (FF 5–74)
ASTM C1166	Standard Test Method for Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories.
ASTM D2859	Standard Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials
ASTM D3675	Standard Test Method for Surface Flammability of Flexible Cellular Materials Using A Radiant Heat Energy Source.
ASTM E1354	Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter.
ASTM E162	Standard Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source.
ASTM E648	Standard Test Method for Critical Radiant Flux of Floor–Covering Systems Using a Radiant Heat Energy Source.
ASTM E662	Standard Test Method for Specific Optical Density of Smoke Generated by Solid Materials
Boeing BSS 7239	

	Test Method for Toxic Gaz Generation by Materials Combustion
Bombardier SMP 800–C	Toxic Gaz Generation
California Technical Bulletin 117	Requirements, Test Procedure and Apparatus for Testing the Flame Retardance of Resilient Filling Materials Used in Upholstered Furniture
CPAI–84–1980 Sect.7	Normes de résistance aux flammes des matériaux utilisés dans la fabrication des tentes de camping
DOT/FAA/AR–00/12 – Aircraft Materials Fire Test Handbook	Chapter 1 : Vertical Bunsen Burner Test for Cabin and Cargo Compartment Materials. Chapter 2 : 45–Degree Bunsen Burner Test for Cargo Compartment Liners and Waste Stowage Compartment Materials. Chapter 3 : Horizontal Bunsen Burner Test for Cabin, Cargo Compartment, and Miscellaneous Materials. Chapter 4 : 60–Degree Bunsen Burner Test for Electric Wire. Chapter 5 : Heat Release Rate Test for Cabin Materials. Chapter 6 : The Smoke Test for Cabin Materials.
FAR 25.853 (a) Appendix F – Part I –	Paragraph 4 : Vertical Test Paragraph 5 : Horizontal Test Paragraph 6 : Forty–Five Degree Test Paragraph 7 : Sixty Degree Test
FAR 25.853 (d) Appendix F Part IV –	Test Method to Determine the Heat Release Rate from Cabin Materials Exposed to Radiant Heat.
NFPA 253	Standard Method of Test for Critical Radiant Flux for Floor Covering Systems Using a Radiant Heat Energy Source.
NFPA 258	Recommended Practice for Determining Smoke Generation of Solid Materials.

### **Couvre–fenêtres**

BNQ 7650–240	Tissus à rideaux pour édifices publiques, semi–publiques et commerciaux
BNQ 7653–101	Store ignifugés Seulement pour : 9.2.1 Efficacité du ressort 9.2.2 Flexibilité 9.2.3 Opacité 9.2.4 Résistance au lavage
NFPA 701	Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

### **Couvre–meubles**

BNQ 7095–005	Tissus pour recouvrements de fauteuils et draperies Sauf pour : laine
--------------	--

### **Couvre–planchers**

AATCC 138	Cleaning: Washing of Textile Floor Coverings
ASTM D1335	Standard Test Method for Tuft Bind of Pile Yarn Floor Coverings
CAN/CGSB 4.129	Tapis pour utilisation commerciale
CAN/CGSB 4.161	Tapis pour utilisation domiciliaire
CAN/CGSB 4.2 No. 27.6	Résistance à l'inflammation – Essai à la tablette de méthénamine des revêtements de sol textiles
CAN/CGSB 4.2 No. 30.2	Mode de suppression des agents ignifuges non permanents des revêtements de sol textiles
CAN/CGSB 4.2 No. 76–94/ISO 2551 :1981	Revêtements de sol textiles fabriqués à la machine – Détermination de la variation des dimensions due à diverses conditions de mouillage et de chaleur
CAN/CGSB 4.2 No. 77.1–94/ISO 4919 :1978	Tapis–moquettes – Détermination de la force d'arrachement de touffes
ISO 2424	Revêtements de sol textiles – Vocabulaire

### **Matelas**

CAN/CGSB 4.2 No.27.7	Résistance des matelas à la combustion – Essai de brûlure de cigarette
----------------------	--

### **Tentes**

Se rapporte au sous-titre secondaire: *Couvre-fenêtres*.

### **Vêtements**

AATCC 124	Appearance of Fabrics after Repeated Home Laundering
ANSI/ISEA 107	High Visibility Safety Apparel and Headwear
ASTM D1230	Standard Test Method for Flammability of Apparel Textiles
ASTM D4108	Test Method for Thermal Protective Performance of Materials for Clothing by Open-Flame Method
ASTM E1164	Standard Practice for Obtaining Spectrometric Data for Object-Color Evaluation
ASTM E809	Standard Practice for Measuring Photometric Characteristics of Retroreflectors
ASTM F1790	Standard Test Method for Measuring Cut Resistance of Materials Used in Protective Clothing
ASTM F903	Standard Test Method for Resistance of Materials Use in Protective Clothing to Penetration by Liquids
CAN/CGSB 155.1	Vêtements de protection contre la chaleur et les flammes, destinés aux sapeurs pompiers
CAN/CGSB 155.20	Protective Clothing – Workwear for Protection Against Hydrocarbon Flash Fire
CAN/CGSB 155.22	Fireline Workwear for Forest Firefighters
CAN/CGSB 4.2 No. 27.5	Essai de résistance à l'inflammation sous un angle de 45° –

CAN/CGSB 4.2 No. 59.1	Application de la flamme pendant une seconde Évaluation de l'aspect lisse des tissus après plusieurs blanchissages domestiques (voir aussi AATCC 124)
CSA Z96	High Visibility Safety Apparel
EN 388	Gants de protection contre les risques mécaniques
EN 471	Vêtements de signalisation à haute visibilité
ISO 17492	Clothing for protection against heat and flame – Determination of heat transmission on exposure to both flame and radiant heat
NFPA 1971	Standard on Protective Clothing for Structural Fire Fighting Sauf pour : art. 5–6 et 5–13
NQ 1923–030	Lutte contre les incendies de bâtiment – Vêtements de protection Sauf pour : 7.6 et 7.13

**Notes:**

***CAN–P–4E (ISO/IEC 17025:2005):*** Exigences générales concernant la compétence des laboratoires d'étalonnages et d'essais (ISO/CEI 17025–2005)

AATCC : American Association of Textile Chemists and Colorists

ASTM : American Society of Testing Methods

BNQ : Bureau de normalisation du Québec

CAN : Canadian Test Method from the «Canadian General Standard Board»

CAN/CGSB : Canadian General Standard Board

CFR: Code Federal Regulation

DOT/FAA/AR : Test method from the «Federal Aviation Administration»

FAR : Federal Aviation Regulation

EN : Test method from the «European Standard Committee»

FTMS : Federal Test Method Standard

GRI : Geosynthetic Research Institute

ICC–ES : International Code Council Evaluation Service

ISO : International Standard Organization

NF : Test method from the «Association française de normalisation»

NFPA : National Fire Protection Association

NQ : Test method from the «Bureau de normalisation du Québec»

UL : Underwriters Laboratory

UPH : Test method from the «Upholstered Furniture Action Council»

---

P. Paladino, ing., directeur de l'Évaluation de la conformité

Date: 2009–05–05

Nombre des éléments de la portée : 415

SCC 1003–15/56

Dossier du partenaire n° : 26950

Laboratoire n° 40, accrédité par le Conseil canadien des normes

Partenaire : BNQ-EL